# Excel Curved Shutter For Keystone Jack 45x45mm 1

Item Code: 100-281







- X Accepts all Excel Keystone Jacks
- X Available in 1 & 2 Port versions
- X Directly mount in trunking
- X Curved shape
- X Large label field

#### **Product Overview**

The Excel Curved 45 x 45 mm Keystone Shutters are available in 1 and 2 port versions. Each shutter will support all of the Excel Keystone Jacks enabling screened and unscreened Category 5e, 6 and 6A terminations to be presented in a uniform fashion.

Fixing clips are positioned on the rear of the shutter to allow the fitment to horizontally or vertically mounted trunking whilst maintain upright orientation of the shutter. Each port is protected with a curved, spring loaded shutter in matching material. The shutter comes complete with paper label and fitted clear window.


### **Product Specifications**


| Feature                           | Values                        |
|-----------------------------------|-------------------------------|
| Utilisation                       | Mounting cover data connector |
| Material                          | Plastic                       |
| Colour                            | White                         |
| RAL-number (akin)                 | 9016                          |
| Type of fastening                 | Engage (snap)                 |
| Number of modules (module system) | 1                             |
| Width of device                   | 45 mm                         |
| Height of device                  | 45 mm                         |


Item Code: 100-281





## **Product drawing**

















## **Standards**

| Applicable standard         | Detail  |
|-----------------------------|---|
| BSEN 60670-1:2005 + A1:2013 | Boxes and enclosures for electrical accessories for household and similar fixed electrical installations general requirements |
| BSEN 61340-5-1:2007         | Protection of electronic devices from electrostatic phenomena. General requirements apply to activities that:                 |

# Excel Curved Shutter For Keystone Jack 45x45mm 1

Item Code: 100-281



|                         | manufacture, process, assemble, install, package, label, service, test, inspect, transport or otherwise handle electrical or electronic parts, assemblies and equipment susceptible to damage by electrostatic discharges greater than or equal to 100 V human body model (HBM). |
|-------------------------|--|
| BSEN 60529:1992+A2:2013 | Degrees of Protection provided by Enclosures ( IP CODE )   |
| RoHS                    | Compliant to the Restriction of Hazardous Substances   |
| WFD                     | Compliant to Waste Framework Directive   |
| SCIP                    | Compliant - Does Not Contain Substances of Concern in Products   |

### **Part Number Table**

| Part Number | Description   |
|-------------|---|
| 100-281     | Excel Curved Shutter For Keystone Jack 45x45mm 1 Port |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.