Item Code: 200-397





- $\boldsymbol{\chi}$ Stainless steel strength rod
- \boldsymbol{X} Hot melt fusion tube
- \mathbf{X} Maintains optical properties

Product Overview

A Splice Protector which provides an effective means to cover fibre core once the fusion process has been undertaken. The Stainless steel strengthening rod ensures a stable connection is maintained across the joint of the fibre.

Product Specifications

Feature	Values
Model	Fusion splice protection

Additional specifications

Features	Values
Stainless strengthening rod	301 Grade
Optimum shrinking process	Heat to 125°C / maintain 80 seconds
Outer tube	Cross-linked polyolefin
Inner tube	Ethylene Vinyl Acetate
Operating temperature	-45°C to +100°C

Item Code: 200-397



Standards

Applicable standard	Detail
RoHS	Compliant to the Restriction of Hazardous Substances
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
WFD	Compliant to Waste Framework Directive
SCIP	Compliant - Does Not Contain Substances of Concern in Products

Part Number Table

Part Number	Description
200-397	Excel Enbeam Splice Protectors 45mm x 2mm Clear
200-398	Excel Enbeam Splice Protectors 61mm x 3mm Clear
200-399	Excel Enbeam Splice Protectors 45mm x 3mm Clear

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.