

Excel Enbeam 24 Way Multimode Fibre Optic Panel 6 SC Duplex (12 Fibre)

Item Code: 200-405



✕ Loaded with Flangeless adaptors

✕ Multimode and Singlemode

✕ Choice of port density

✕ Management and fixing kit included

✕ Upto 24 duplex adaptors per patch panel

✕ Port identification numbers

Product Overview

The Excel range of SC patch panels are sliding drawer ?tray style? housings suitable for either direct termination or splicing of upto 48 fibres in 1U of rack space. Each panel is manufactured from high quality 2mm thick steel powder coat finish to provide a strong and durable unit. To the front of the patch panel the specified number of duplex adaptors are loaded from left to right. Each panel utilises colour coded adaptors, beige, aqua and violet for multimode, blue for singlemode and green for SM APC. Each duplex adaptor accommodates two terminated fibres. Each panel has included within it a set of fixing brackets, and a cable management pack which includes cable entry glands, cable ties, and a 24 way splice bridge.

Note that SC panels can be assembled to order using a combination of adaptors, pigtailed and splice cassettes - call to enquire.

Product Specifications

Feature	Values
Suitable for number of fibre cores	48
Suitable for number of module inserts	24
Loaded with number of couplings/adapters	6
With pigtailed	no
Fibre type	Multimode 50/125 and 62.5/125
Fibre class	OM1/OM2/OM3/OM4/OM5
APC-type	no
Type of connector external	SC duplex
Type of connector interior	SC duplex

Excel Enbeam 24 Way Multimode Fibre Optic Panel 6 SC Duplex (12 Fibre)

Item Code: 200-405



Colour	Black
RAL-number	9005
Mounting method	19 inch mounting
Number of rack units (RU)	1
Height	43.5 mm
Width	483 mm
Depth	219.5 mm

Additional specifications

Feature	Value
Operating Temperature	-40 to +80 °C
IP Rating	IP20
Cable Entry 20mm	2
Cable Entry 25mm	2
Material	Cold rolled steel
Material Thickness	1.2mm
Material Coating	Powder Coating
RoHs Compliant Adaptor	Yes
Designed in accordance with	ISO/IEC 11801, IEC60304, IEC61754, TIA/EIA 568.D

Included accessories

Accessories	Quantity
Cable Gland (PG 13.5)	1
Cable Gland(PG 19)	1
Nylon cable tie	7
Adjustable cable tie	4
24 Position splice holder	1 to 3 Dependant on fibre count
Label holder (210 x 9.2 mm)	2
Mounting twist tie	4
Cage nuts and screws	1pk

Excel Enbeam 24 Way Multimode Fibre Optic Panel 6 SC Duplex (12 Fibre)

Item Code: 200-405




Product drawings

Excel Enbeam 24 Way Multimode Fibre Optic Panel 6 SC Duplex (12 Fibre)

Item Code: 200-405

excel
without compromise.



Excel Enbeam 24 Way Multimode Fibre Optic Panel 6 SC Duplex (12 Fibre)

Item Code: 200-405



Part Number Table

Part Number	Description
200-401	Excel Enbeam 24 Way Multimode Fibre Optic Panel 4 SC Duplex (8 Fibre)
200-405	Excel Enbeam 24 Way Multimode Fibre Optic Panel 6 SC Duplex (12 Fibre)
200-406	Excel Enbeam 24 Way Multimode Fibre Optic Panel 8 SC Duplex (16 Fibre)
200-407	Excel Enbeam 24 Way Multimode Fibre Optic Panel 12 SC Duplex (24 Fibre)
200-408	Excel Enbeam 24 Way Multimode Fibre Optic Panel 24 SC Duplex (48 Fibre)
200-411	Excel Enbeam 24 Way Singlemode Fibre Optic Panel 24 SC Duplex (48 Fibre)
200-480	Excel Enbeam 24 Way Singlemode Fibre Optic Panel 4 SC Duplex (8 Fibre)
200-481	Excel Enbeam 24 Way Singlemode Fibre Optic Panel 6 SC Duplex (12 Fibre)
200-482	Excel Enbeam 24 Way Singlemode Fibre Optic Panel 8 SC Duplex (16 Fibre)
200-483	Excel Enbeam 24 Way Singlemode Fibre Optic Panel 12 SC Duplex (24 Fibre)
203-530	Excel Enbeam 24 Way Multimode OM3 Fibre Optic Panel 12 SC Duplex (24 Fibre)
203-532	Excel Enbeam 24 Way Multimode OM3 Fibre Optic Panel 24 SC Duplex (48 Fibre)
204-530	Excel Enbeam 24 Way Multimode OM4 Fibre Optic Panel 12 SC Duplex (24 Fibre)
204-532	Excel Enbeam 24 Way Multimode OM4 Fibre Optic Panel 24 SC Duplex (48 Fibre)

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.