



SENTRON, porta-fusíveis cilíndricos, 22x58 mm, 1P+N, In: 100 A, Un CA: 690 V

Versão			
nome da marca do produto	SENTRON		
designação do produto	Suporte de encaixe de fusível cilíndrico		
Dados técnicos gerais			
quantidade de polos	2		
versão dos polos	1P+N		
tamanho da unidade para fusível	22x58 mm		
Tensão de alimentação			
tensão de serviço	690 V		
• em CA valor nominal			
grau de proteção IP	IP20		
Projeto mecânico			
altura	117 mm		
largura	72 mm		
profundidade	70 mm		
peso líquido	365 g		
Certificados			
identificação de referência de acordo com IEC 81346-2:2009	F		
Homologações certificados			
General Product Approval		Test Certificates	other



[Confirmation](#)



[Miscellaneous](#)

[Miscellaneous](#)

other	Environment
Confirmation	Environmental Confirmations

Outras informações
Informações sobre a embalagem Informações sobre a embalagem Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=3NW7251 Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/3NW7251>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7251

CAX-Online-Generator


<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



3NW7251, 3NW7252



última alteração:

09/01/2024 [↗](#)

