



SENTRON, porta-fusíveis cilíndricos, 22x58 mm, 1P+N, In: 100 A, Un CA: 690 V, sinalizador de LED

Versão		
nome da marca do produto	SENTRON	
designação do produto	Suporte de encaixe de fusível cilíndrico	
versão do produto	Sinalizador LED	
Dados técnicos gerais		
quantidade de polos	2	
versão dos polos	1P+N	
tamanho da unidade para fusível	22x58 mm	
Tensão de alimentação		
tensão de serviço		
• em CA valor nominal	690 V	
grau de proteção IP	IP20	
Projeto mecânico		
altura	117 mm	
largura	72 mm	
profundidade	70 mm	
peso líquido	360 g	
Certificados		
identificação de referência de acordo com IEC 81346-2:2009	F	
Homologações certificados		
General Product Approval	Test Certificates	other



[Confirmation](#)



[Miscellaneous](#)

[Miscellaneous](#)

other	Environment
Confirmation	Environmental Confirmations

Outras informações
Informações sobre a embalagem Informações sobre a embalagem Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=3NW7252

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/3NW7252>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7252

CAX-Online-Generator


<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



3NW7251, 3NW7252



última alteração:

09/01/2024 

