



time counter, mechanical, 230V, 50Hz

| Model                                                 |                         |
|-------------------------------------------------------|-------------------------|
| product brand name                                    | SETRON                  |
| product designation                                   | Mechanical time counter |
| type of the driving mechanism                         | others                  |
| General technical data                                |                         |
| electrical input frequency                            |                         |
| • minimum                                             | 50 Hz                   |
| • maximum                                             | 50 Hz                   |
| principle of operation of the operating hours counter | analog                  |
| reset function                                        | no                      |
| type of voltage of the operating voltage              | AC                      |
| input voltage                                         | 230 V                   |
| Protection class                                      |                         |
| protection class IP                                   | IP20                    |
| Number                                                |                         |
| number of characters that can be displayed            | 7                       |
| Mechanical Design                                     |                         |
| height                                                | 90 mm                   |
| height of the front plate                             | 45 mm                   |
| width                                                 | 36 mm                   |
| width of the front plate                              | 36 mm                   |
| installation depth                                    | 64 mm                   |
| number of modular width units                         | 2                       |
| fastening method                                      | DIN rail                |
| net weight                                            | 93 g                    |
| Approvals Certificates                                |                         |
| General Product Approval                              | other                   |



[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

### Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=7KT5804>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/7KT5804>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=7KT5804](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7KT5804)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

11/12/2021 

