



Figure similar

SENTRON, porta-fusíveis cilíndricos, 8x32 mm, 1P+N, In: 20 A, Un CA: 400 V

Versão		
nome da marca do produto	SENTRON	
designação do produto	Suporte de encaixe de fusível cilíndrico	
Dados técnicos gerais		
quantidade de polos	2	
versão dos polos	1P+N	
tamanho da unidade para fusível	8x32 mm	
Tensão de alimentação		
tensão de serviço		
• em CA valor nominal	400 V	
grau de proteção IP	IP20	
Projeto mecânico		
altura	81 mm	
largura	18 mm	
profundidade	64 mm	
peso líquido	74 g	
Certificados		
identificação de referência de acordo com IEC 81346-2:2009	F	
Homologações certificados		
General Product Approval	Test Certificates	other



EG-Konf.



[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

other	Environment
Miscellaneous	Environmental Confirmations

Outras informações
Informações sobre a embalagem Informações sobre a embalagem Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=3NW7353

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/3NW7353>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7353


CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





última alteração:

09/01/2024 [↗](#)

