



Plug-in part type 2 N-PE Requirement class C, UC 260V 1-pole, Narrow design for surge arrester 5SD742...and combi-arrester 5SD744.

Model	
product brand name	SENTRON
product designation	Plug-in part type 2
design of the product	For surge arresters 5SD742... and combination surge arresters 5SD744...
General technical data	
SPD classification according to EN 61643-11 Test Class II, Type 2	Yes
SPD classification according to EN 61643-11 Test Class I, Type 1	No
suitability for use	5SD7422-0,5SD7422-1,5SD7424-0,5SD7424-1
Mechanical Design	
height	45 mm
width	11.7 mm
depth	56.4 mm
net weight	87.6 g
Approvals Certificates	
General Product Approval	



[Confirmation](#)



other	Environment
Miscellaneous	Confirmation
	Environmental Confirmations

Further information
Siemens has decided to exit the Russian market (see here). https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business Siemens is working on the renewal of the current EAC certificates. Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus). Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875 Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SD7428-0 Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5SD7428-0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SD7428-0

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

1/28/2021 

