SIEMENS

Data sheet

8WH1000-0AN01



Terminal, screw terminal, through-type terminal, 50 mm², blue

Model			
product brand name	SENTRON		
product designation	Terminal blocks		
design of the product	through-type terminal		
product variations	through-type terminal, for mounting on mounting rail acc. to IEC 60715		
design of terminal terminal levels internally linked	No		
operating voltage rated value	1 000 V		
Protection class			
combustibility class according to UL 94	V0		
Main circuit			
operational current rated value	150 A		
Appearance			
color	blue		
Product details			
product component required end cover plate	No		
Number			
number of terminal levels	1		
number of terminal points per terminal level	2		
Connections			
connectable conductor cross-section solid			
• minimum	16 mm ²		
• maximum	70 mm ²		
connectable conductor cross-section stranded			
• minimum	16 mm ²		
• maximum	10 mm ²		
connectable conductor cross-section finely stranded			
 with core end processing minimum 	25 mm²		
 with core end processing maximum 	50 mm²		
 without core end processing minimum 	25 mm²		
 without core end processing maximum 	50 mm²		
tightening torque with screw-type terminals			
• minimum	6 N·m		
• maximum	8 N·m		
type of connection 1	screw-type terminal		
type of connection 2	screw-type terminal		
position of the terminal	lateral		
Mechanical Design			
height	75.45 mm		
height with lowest-profile installation	26 mm		
depth	75.8 mm		

length	71 mm			
fastening method	TH35 E	DIN rail		
net weight	120 g			
material of the insulating body	Other			
Environmental conditions				
ambient temperature during operation				
• minimum	-60 °C			
• maximum	105 °C			
Approvals Certificates				
General Product Approval			other	
CSA CE	<u>Confirmation</u>	EAC	<u>Confirmation</u>	<u>Miscellaneous</u>

Environment

Environmental Con**firmations**

Further	information	

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates. Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/log atalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH1000-0AN01

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/8WH1000-0AN01

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH1000-0AN01

CAx-Online-Generator

http://www.siemens.com/cax

Tender specifications

http://www.siemens.com/specifications





last modified:

7/19/2023 🖸