



SETRON, porta-fusíveis cilíndricos, 10x38 mm, 1P+N, In: 32 A, Un CA: 690 V, sinalizador de LED

Figure similar

Versão	
nome da marca do produto	SETRON
designação do produto	Suporte de encaixe de fusível cilíndrico
versão do produto	Sinalizador LED
Dados técnicos gerais	
quantidade de polos	2
versão dos polos	1P+N
tamanho da unidade para fusível	10x38 mm
Tensão de alimentação	
tensão de serviço	690 V
• em CA valor nominal	
grau de proteção IP	IP20
Projeto mecânico	
altura	81 mm
largura	18 mm
profundidade	64 mm
peso líquido	75 g
Certificados	
identificação de referência de acordo com IEC 81346-2:2009	F
Homologações certificados	
General Product Approval	Test Certificates

[Confirmation](#)



[Miscellaneous](#)

other	Environment
Miscellaneous	Confirmation Environmental Con- firmations

Outras informações
Informações sobre a embalagem Informações sobre a embalagem Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=3NW7054>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/3NW7054>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7054


CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





última alteração:

09/01/2024 

