



ALPHA 400, wall-mounted cabinet, IP44, Protection class 1, H: 1100 mm, W: 300 mm, T: 210 mm, RAL 9016

| Model                                              |                      |
|----------------------------------------------------|----------------------|
| product brand name                                 | ALPHA                |
| product designation                                | Wall-mounted cabinet |
| design of the product                              | Surface mounting     |
| surface processing                                 | powder-coated        |
| Protection class                                   |                      |
| protection class IP                                | IP44                 |
| operating resource protection class                | Safety class 1       |
| IK protection class                                | IK09                 |
| suitability for interaction lightning protection   | Yes                  |
| suitability for use for outside use                | No                   |
| Appearance                                         |                      |
| RAL color number                                   | 9016                 |
| product component                                  |                      |
| • cable entry                                      | Yes                  |
| • mounting plate                                   | No                   |
| product extension optional side-by-side mounting   | Yes                  |
| number of rows                                     | 7                    |
| Mechanical Design                                  |                      |
| height                                             | 1 100 mm             |
| width                                              | 300 mm               |
| depth                                              | 210 mm               |
| installation depth                                 | 210 mm               |
| number of modular width units                      | 84                   |
| number of modular width units per DIN mounting bar | 12                   |
| fastening method                                   | Aufputz              |
| net weight                                         | 12.78 kg             |
| material of the enclosure                          | Steel                |

| Approvals Certificates   |                   |
|--------------------------|-------------------|
| General Product Approval | Test Certificates |



[Confirmation](#)



[Special Test Certificate](#)

|       |             |
|-------|-------------|
| other | Environment |
|-------|-------------|

[Confirmation](#)

[Miscellaneous](#)

[Environmental Con-](#)

#### Further information

**Siemens has decided to exit the Russian market (see here).**

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

**Siemens is working on the renewal of the current EAC certificates.**

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK1122-5KA12>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/8GK1122-5KA12>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8GK1122-5KA12](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK1122-5KA12)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



last modified:

8/29/2023

