



Overvoltage protection for Ethernet interfaces up to 10 Gbit/s, including POE

Model	
product brand name	SETRON
product designation	Surge protection device
design of the product	Surge arrester 5SD7 for measuring and control technology
design of the product explosion-proof design	No
General technical data	
break time	
• between L and N for symmetrical circuit	1 ns
• between L or N and PE for symmetrical circuit	100 ns
insertion loss for symmetrical circuit	
• with characteristic wave impedance 100 ohm up to 5 MHz typical	1 dB
power pulse current at (10/1000) µs	40 A
capacity between switched connecting terminals	
• for symmetrical circuit	0.012 nF
• for asymmetrical circuit	1 pF
protection level	
• with pulse curve shape C2 at (10 kV/5 kA) to signal ground according to IEC 61643-21	700 V
overvoltage category	II
Voltage	
continuous operating voltage	
• at DC maximum	3.3 V
residual voltage between L and L	
• for rated discharge current for symmetrical circuit	15 V
voltage limitation of the output voltage	
• between L and L at rate of voltage rise 1 kV/µs for spike or statistical distribution in relation to hazard level for symmetrical circuit	9 V
• between L and PE for asymmetrical circuit at rate of voltage rise 1 kV/µs for spike or statistical distribution in relation to hazard level	700 V
Supply voltage	
operating voltage	
• rated value maximum	3.3 V
Protection class	
protection class IP	IP20
Product details	
product component remote signaling contact	No
Product function	
product function surge arrester monitoring	No
Connections	

type of electrical connection	RJ45		
Mechanical Design			
height	25 mm		
width	102 mm		
depth	65 mm		
net weight	289 g		
material of the enclosure	ZnAl4Cu1		
Environmental conditions			
ambient temperature during operation			
• minimum	40 °C		
• maximum	85 °C		
Approvals Certificates			
General Product Approval		other	Environment

[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

[Environmental Confirmations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SD7581-3>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5SD7581-3>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SD7581-3

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

8/15/2023

