



Figure similar

encaixe de fusível cilíndrico SITOR, 14x51 mm, 32 A, gR, Un CA: 690 V, Un CC: 600 V

Versão	
nome da marca do produto	SETRON
designação do produto	SITOR Elemento de fusível cilíndrico
Dados técnicos gerais	
classe de operação da unidade para fusível	gR
tipo de tensão da tensão de serviço	CA
tensão de alimentação em CC	600 V
Circuito principal	
corrente de serviço valor nominal	32 A
Detalhes do produto	
componente do produto detector de disparo	No
Projeto mecânico	
posição de montagem	opcional, preferível vertical
peso líquido	23 g
Homologações certificados	
General Product Approval	



[Confirmation](#)



EG-Konf.




UL



other	Environment
Miscellaneous	Confirmation
	Environmental Con- firmations
	Environmental Con- firmations

Outras informações
Informações sobre a embalagem
Informações sobre a embalagem
Information- and Downloadcenter (Catalogs, Brochures,...)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=3NC1432-0MK
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/pt/ps/3NC1432-0MK
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NC1432-0MK
CAX-Online-Generator



última alteração:

17/02/2023 

