



condutor N, em avanço com comutação para fixação frontal, acessórios para chave principal e de PARADA DE EMERGÊNCIA 3LD2 para 100 - 125A e para chave principal e de PARADA DE EMERGÊNCIA 3LD5 UL para 60A

| Versão                                                                                  |                                                                       |
|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| nome da marca do produto                                                                | SETRON                                                                |
| designação do produto                                                                   | Condutor neutro                                                       |
| versão do produto                                                                       | acessórios para interruptor principal e de PARAGEM DE EMERGÊNCIA 3LD2 |
| número AWG como secção transversal do condutor conectável codificada                    |                                                                       |
| • mínimo                                                                                | 12                                                                    |
| • máximo                                                                                | 1                                                                     |
| tipo de secções transversais dos condutores a serem conectados para contatos principais |                                                                       |
| • de fio fino com tratamento de terminal de condutor isolado                            | 1x (4...50 mm²)                                                       |
| • de um fio ou mais fios                                                                | 1x (4...35 mm²)                                                       |

| Homologações certificados |       |
|---------------------------|-------|
| General Product Approval  | other |



[Confirmation](#)



[Miscellaneous](#)

|       |             |
|-------|-------------|
| other | Environment |
|-------|-------------|

[Confirmation](#)

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)

### Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=3LD9280-0B>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/3LD9280-0B>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3LD9280-0B](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9280-0B)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



---

última alteração:

18/04/2024 

