

acessórios para VL150XUL, VL250UL (quadro CG-quadro FG) acionamento Max-Flex, completo incl. acionamento, alavanca e cabo Bowden (comprimento=0,9m)

Versão	
nome da marca do produto	SETRON
designação do produto	Acionamento Max-Flex completo
versão do produto	incl. unidade propulsora, alavanca e cabo Bowden, comprimento=0,9m
Projeto mecânico	
peso líquido	0,8 kg
Homologações certificados	
General Product Approval	Test Certificates

[Confirmation](#)



[Special Test Certificate](#)

other

Environment

[Miscellaneous](#)

[Confirmation](#)

[Environmental Confirmations](#)

[Environmental Confirmations](#)

Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=3VL9300-3JM01>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/3VL9300-3JM01>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VL9300-3JM01

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



E max.			F max.				
Schrank- tiefe mm	3VL9300-3JQ31 Länge 900 mm	3VL9300-3JQ41 Länge 1200 mm	Schrank- tiefe mm	3VL9300-3JQ31 Länge 900 mm		3VL9300-3JQ41 Länge 1200 mm	
				OBEN	UNTEN	OBEN	UNTEN
203	285	589,5	203	106,5	393,5	406,5	686
254	279,5	584	254	132	381	419	686
305	266,5	579	305	152,5	373,5	432	680
406,5	211	551	406,5	114,5	360,5	419	673
457	165	533,5	457	86,5	325	406,5	647,5
508	89	508	508	15	254	393,5	622,5
609,5	--	439,5	609,5	--	--	355,5	571,5
762	--	259	762	--	--	221	442

última alteração:

20/04/2023

