


## **RF 180 GR**

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com





#### Flexible - More flexible - Profilform

Modular housings in profile form - the flexible modular system comprising coloured and transparent plastic profiles and carrier modules

The combination of standard pitches mounted side by side in any arrangement and metre goods cut accurate to the millimetre creates the perfect balance between flexibility and economic efficiency:

- Pitch profiles with standard widths ranging from 5mm to 45mm allow the mounting of all standard PCB formats.
- Variable heights ensure maximum component density, even with larger electronics components.
- The different installation variations mean that mounting the enclosure directly is as easy as clipping components onto the terminal rail
- Solid hoods protect the module reliably from external influences

The recipe for success: variable profile + modular form components = flexible enclosure concept that offers a large surface area for the PCBs.

The modular concept is designed for modules with high space requirements and suitable for small component quantities and different widths.

#### General ordering data

Version	Electronics housings grey, Clip-in foot, Width:
	17.55 mm
Order No.	<u>1773400000</u>
Туре	RF 180 GR
GTIN (EAN)	4032248140602
Qty.	20 pc(s).



## **RF 180 GR**

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Technical data**

-			
Dım	ensions	and	weights

Height	26.55 mm	Height (inches)	1.045 inch
Width	17.55 mm	Width (inches)	0.691 inch
Length	79.2 mm	Length (inches)	3.118 inch
Net weight	6.15 g		

#### **General data**

Colour	grey	Colour chart (similar)	RAL 7035	
Encapsulation option	No	Protection degree	IP20	
Rail	TS 32, TS 35			

#### **Material data**

Insulating material	PA 66	UL 94 flammability rating	V-2
Classifications			

#### Classifications

ETIM 6.0	EC002779	ETIM 7.0	EC002779
ETIM 8.0	EC002779	ECLASS 9.0	27-18-27-90
ECLASS 9.1	27-18-27-90	ECLASS 10.0	27-18-27-92
ECLASS 11.0	27-18-27-92		

#### Important note

Product information	3 heights	s are	ava	ilable	for the	cov	er į	oro	file a	and	the e	nd plates	3:

TS mounting: TS 32 = 45mm, TS 35x7,5 = 40.5mm

Direct mounting: 24mm Dimensions of the PCB:

Thickness: 1.6 ( $\pm$ 0.2) mm, width: 42 ( $\pm$ 0.5) mm

Dimension of the RS section = length of the printed circuit board - 4.5mm

Dimension of ADP section = PCB length - 1mm

Example:

PCB length 160mm, RS section = 155,5mm, ADP section = 159mm

## Approvals

ROHS	Conform	

#### **Downloads**

Engineering Data	STEP	
Catalogues	Catalogues in PDF-format	
Brochures	FL ANALO.SIGN.CONV. EN MB DEVICE MANUF. EN FL MACHINE SAFETY EN FL 72H SAMPLE SER EN PO OMNIMATE EN PO OMNIMATE EN	