

**SKMU EMV M20****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Similar to illustration**

In addition to cable glands for a wide range of applications, the product portfolio is rounded off by plugs, pressure compensation elements, adaptors and the corresponding accessories such as locknuts, sealing rings, flat washers and earthing rings.

**General ordering data**

|            |                                                                                |
|------------|--------------------------------------------------------------------------------|
| Version    | SKMU MS EMV (brass locknut - EMC), Locknut, M 20, 3.6 mm, Brass, nickel-plated |
| Order No.  | <a href="#">1777630000</a>                                                     |
| Type       | SKMU EMV M20                                                                   |
| GTIN (EAN) | 4032248157907                                                                  |
| Qty.       | 100 pc(s).                                                                     |

## SKMU EMV M20

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|            |       |
|------------|-------|
| Net weight | 5.8 g |
|------------|-------|

## Environmental Product Compliance

|            |                |
|------------|----------------|
| REACH SVHC | Lead 7439-92-1 |
|------------|----------------|

## General information

|                 |                      |                  |          |
|-----------------|----------------------|------------------|----------|
| AF size 1       | 24 mm                | Cable glands     | metric   |
| External thread | M 20                 | Halogen          | No       |
| Internal thread | M 20                 | Length of thread | 3.6 mm   |
| Material        | Brass, nickel-plated | O.D.             | 26.56 mm |
| Pitch of thread | 1.5 mm               | Thickness        | 1 mm     |

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC000940    | ETIM 7.0    | EC000940    |
| ETIM 8.0    | EC000940    | ECLASS 9.0  | 27-14-44-24 |
| ECLASS 9.1  | 27-14-44-24 | ECLASS 10.0 | 27-14-44-24 |
| ECLASS 11.0 | 27-14-44-24 |             |             |

## Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

## Downloads

|                  |                                          |
|------------------|------------------------------------------|
| Engineering Data | <a href="#">STEP</a>                     |
| Engineering Data | <a href="#">EPLAN, WSCAD</a>             |
| Catalogues       | <a href="#">Catalogues in PDF-format</a> |
| Brochures        |                                          |

### SKMU EMV M20

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

