

SAIL-M8W-4-1.5U

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com













Sensor/actuator cables are used for wiring sensors and actuators and for transmitting data or power in various applications. The moulded cable offers connected and tested connection of the plug-in connector to the cable ex-works. The cables may be exposed to a wide range of conditions, such as humidity, dust, heat, cold, shock or vibration

Our developers have focused specifically on this issue and designed a host of different M8 and M12 sensor-actuator cables so you are bound to find the solution you need for your application.

Is there something you have not managed to find or you feel needs explanation? Talk to us!

General ordering data

Version	Sensor/actuator line, One end without connector, M8, Number of poles: 4, 1.5 m, pin, 90°, Shielded: No, LED: No, Sheath material: PUR, Halogen: No
Order No.	<u>1857560150</u>
Туре	SAIL-M8W-4-1.5U
GTIN (EAN)	4032248478743
Qty.	1 pc(s).

Creation date October 30, 2021 9:25:37 AM CEST



SAIL-M8W-4-1.5U

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Dim	ensions	and	weights
	GIISIUIIS	anu	WEIGHLS

Net weight	43 a

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

Electrical properties

Insulation strength $10^8 \,\Omega$ Rated voltage $30 \,V$

General standards

Certificate No. (CSA)	200039-2372994	Certificate no. (cULus)	E307231	
Connector standard	IEC 61076-2-104			

Standards

Connector standard IEC 61076-2-104

Classifications

ETIM 6.0	EC001855	ETIM 7.0	EC001855
ETIM 8.0	EC001855	ECLASS 9.0	27-06-03-11
ECLASS 9.1	27-06-03-11	ECLASS 10.0	27-06-03-11
ECLASS 11.0	27-06-03-11		

Approvals

Approvals



ROHS Conform

Downloads

Engineering Data	STEP STEP	
Engineering Data	EPLAN, WSCAD	
Catalogues	Catalogues in PDF-format	
Brochures	FL FIELDWIRING EN FL FIELDWIRING EN	



SAIL-M8W-4-1.5U


Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com


Drawings

Dimensioned drawing




Male, angled

Wiring diagram



Pole scheme



 $\label{eq:male} \begin{tabular}{ll} Male \\ \hline \textbf{The ideal tool: Screwty} & \text{$^{\tiny \textbf{8}$ with torque function}$} \\ \end{tabular}$



Light, securely screwed-in round plug-in connectors. Screwty set DM / VPE: 1 / Order No.: 1920000000 Adapters: M12, M12 F, M8, M8 F