

## SAIBW-M8-3P(TL)

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com







Individual cable lengths are often required nowadays. In order to meet these demands, Weidmüller offers a wide range of plug-in connectors for custom assembly. Male plugs and female sockets for customisable assembly for M8, M12, M16 and 7/8" connections which are highly robust and ideally suited to machine engineering, for instance. The M8 round plug-in connectors are particularly suited to applications where space is limited.

The solder connection provides high contact density on a small area. With this technology the stripped conductor is soldered to the contacts, producing good electrical conductivity.

### **General ordering data**

Version	Sockets prefabricated to customer spec., M8, Socket, angled
Order No.	<u>1920970000</u>
Туре	SAIBW-M8-3P(TL)
GTIN (EAN)	4032248562411
Qty.	1 pc(s).



## SAIBW-M8-3P(TL)

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Technical data**

## **Dimensions and weights**

Net weight 8 g

#### **Environmental Product Compliance**

REACH SVHC Lead 7439-92-1

## Technical data customisable plug-in connectors

Cable diameter	3.55 mm
Cable diameter, min.	3.5 mm
Conductor cross-section, max.	0.25 mm <sup>2</sup>
Connection cross-section, max.	0.25 mm <sup>2</sup>
Contact surface	Gold-plated
Insulation strength	10 <sup>8</sup> Ω
Plugging cycles	≥ 100
Protection degree	IP67
Rated voltage	60 V
Shield connection	No
Threaded ring material	Diecast zinc

Cable diameter, max.	5.5 mm
Coding	none, A
Conductor cross-section, min.	0.25 mm <sup>2</sup>
Connection cross-section, min.	0.25 mm <sup>2</sup>
Housing main material	PA
Number of poles	3
Pollution severity	3
Rated current	4 A
Rated voltage	60 V
Temperature range of housing	-40 +85 ° C
Type of connection	Solder connection

#### **Standards**

Connector standard IEC 61076-2-104

### Classifications

EC002635
EC002635
27-44-01-03
27-44-01-02

ECLASS TO.U	27-44-01-02
ECLASS 10.0	27-44-01-02
ECLASS 9.0	27-44-01-02
ETIM 7.0	EC002635

#### **Approvals**

Approvals



ROHS	Conform	
UL File Number Search	E307231	

## **Downloads**

Engineering Data	<u>STEP</u>
Engineering Data	WSCAD
Catalogues	Catalogues in PDF-format
Brochures	FL FIELDWIRING EN FL FIELDWIRING EN