

**PZ 10 SQR****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Crimping tools for wire end ferrules, with and without plastic collars**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

**General ordering data**

|            |                                                                                             |
|------------|---------------------------------------------------------------------------------------------|
| Version    | Crimping tool for wire-end ferrules, 0.14mm <sup>2</sup> , 10mm <sup>2</sup> , Square crimp |
| Order No.  | <a href="#">1445080000</a>                                                                  |
| Type       | PZ 10 SQR                                                                                   |
| GTIN (EAN) | 4050118250152                                                                               |
| Qty.       | 1 pc(s).                                                                                    |

**PZ 10 SQR****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

|        |        |                |            |
|--------|--------|----------------|------------|
| Width  | 195 mm | Width (inches) | 7.677 inch |
| Weight | 600 g  | Net weight     | 605 g      |

**Environmental Product Compliance**

|            |                |
|------------|----------------|
| REACH SVHC | Lead 7439-92-1 |
|------------|----------------|

**Technical data**

|                        |                  |
|------------------------|------------------|
| Description of article | (1)Crimping tool |
|------------------------|------------------|

**Description of contact**

|                                   |                                                    |                                   |                      |
|-----------------------------------|----------------------------------------------------|-----------------------------------|----------------------|
| Conductor cross-section, max. AWG | AWG 8                                              | Conductor cross-section, min. AWG | AWG 26               |
| Crimping range, max.              | 10 mm <sup>2</sup>                                 | Crimping range, min.              | 0.14 mm <sup>2</sup> |
| Type of contact                   | Wire-end ferrules with/<br>without plastic collars |                                   |                      |

**tool data crimping**

|                       |              |
|-----------------------|--------------|
| Crimping type/profile | Square crimp |
|-----------------------|--------------|

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC000168    | ETIM 7.0    | EC000168    |
| ETIM 8.0    | EC000168    | ECLASS 9.0  | 21-04-38-11 |
| ECLASS 9.1  | 21-04-38-11 | ECLASS 10.0 | 21-04-38-11 |
| ECLASS 11.0 | 21-04-38-11 |             |             |

**Downloads**

|                    |                                          |
|--------------------|------------------------------------------|
| User Documentation | <a href="#">Manual</a>                   |
| Catalogues         | <a href="#">Catalogues in PDF-format</a> |
| Brochures          |                                          |

## PZ 10 SQR

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings



## Example of use

