

KSI/-10**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Insulated pin-cable connector made from PVC or PC/PA**

- Conventional designs
- Not soldered
- With conical entry funnel

General ordering data

Version	cable lug, terminal end, Insulated cable connector, 10 mm ² , 10 mm ²
Order No.	1491430000
Type	KSI/-10
GTIN (EAN)	4050118301403
Qty.	50 pc(s).

KSI/-10

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight	3 g
------------	-----

Connectors

Conductor cross-section	10 mm ²	Conductor cross-section, max.	10 mm ²
Identification colour	red	Inside diameter of collar (d4)	7.8 mm
Inside diameter of shaft (d1)	4.5 mm	Insulation	Available
Length 1 (l1)	34 mm	Length 2 (l2)	12 mm ²
Material/plastic	PA	Outside diameter of shaft (d3)	2.4 mm

Classifications

ETIM 6.0	EC001059	ETIM 7.0	EC001059
ETIM 8.0	EC001059	ECLASS 9.0	27-40-02-92
ECLASS 9.1	27-40-02-12	ECLASS 10.0	27-40-02-92
ECLASS 11.0	27-40-02-92		

Approvals

ROHS	Conform
------	---------

Downloads

Engineering Data	EPLAN
Catalogues	Catalogues in PDF-format
Brochures	

KSI/-10

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

